

Attorney Docket No.: 7755

**AMENDMENTS**

In the claims:

Please amend the claims as indicated.

1. (Currently Amended) An apparatus for cleaning a surface, the apparatus comprising a pump, an applicator connected to the pump through which one or more cleaning agents can be applied to the surface at an operating pressure that is about 600 PSI or less and an operating flow rate that is about 1 gal/min or less-, a basket which holds said cleaning agents, and a mobile cart that is equipped with the pump, the cleaning agents, the applicator, and the basket, wherein said basket is detachable from said mobile cart.
2. (Original) The apparatus of claim 1 wherein the cleaning agents are selected from the group consisting of a chemical cleaning agent, a biocide, a biostatic, solutions thereof and mixtures thereof.
3. (Original) The apparatus of claim 2 wherein the chemical cleaning agent includes a surfactant-based cleaning agent.
4. (Original) The apparatus of claim 2 wherein the chemical cleaning agent in solution form has a pH that ranges from about 2.0 to about 14.0.
5. (Cancelled)
6. (Cancelled)
7. (Currently Amended) The apparatus of claim 1 further comprising a dilution unit attached to the mobile cart wherein the dilution unit is capable of preparing the cleaning agents in solution form prior to application to the surface.

Attorney Docket No.: 7755

8. (Currently Amended) A surface cleaning system comprising:
- a pump that operates at an operating pressure of about 600 PSI or less;
  - an applicator connected to the pump through which a fluid can flow at an operating flow rate that is about 1 gal/min or less;
  - a water supply that can be applied to a surface through the applicator at the operating pressure and the operating flow rate;
  - a cleaning agent supply that can be applied to the surface through the applicator at the operating pressure and the operating flow rate;
  - a basket which holds said cleaning agent supply;
  - and a mobile cart that is equipped with the pump, the cleaning agents, the applicator, and the basket, wherein said basket is detachable from said mobile cart.
9. (Original) The surface cleaning system of claim 8 further comprising a mobile cart that is equipped with the pump, the applicator, the water supply and the cleaning agent supply.
10. (Original) The surface cleaning system of claim 9 wherein the cleaning agent supply is detachably connected to the mobile cart.
11. (Original) The surface cleaning system of claim 8 wherein the water supply includes a water reservoir.
12. (Original) The surface cleaning system of claim 8 wherein the water supply is supplied by an in-line water connector through which water is provided from an external water source.

Attorney Docket No.: 7755

13. (Original) The surface cleaning system of claim 8 wherein the cleaning agent supply is selected from the group consisting of a chemical cleaning agent, a biocide, a biostatic, solutions thereof and mixtures thereof.
14. (Original) The surface cleaning system of claim 13 wherein the chemical cleaning agent includes a surfactant-based cleaning agent.
15. (Original) The surface cleaning system of claim 14 wherein the chemical cleaning agent in solution form is selected from the group consisting of an alkaline solution having a pH from about 8.0 to about 12.5, a pH balanced solution having a pH from about 5.0 to about 10.0, an acidic solution having a pH ranging from about 2.0 to about 4.0, and mixtures thereof.
16. (Original) The surface cleaning system of claim 8 further comprising a dilution mechanism including a dilution unit capable of preparing the cleaning agent supply in solution form at a dilution ratio that ranges from about 1:4 to about 1:256.
17. (Cancelled)
18. (Cancelled)
19. (Cancelled)
20. (Cancelled)
21. (Cancelled)
22. (Cancelled)
23. (New) An apparatus for cleaning a surface, the apparatus comprising a pump and an applicator connected to the pump through which one or more cleaning agents can be applied to the surface at an operating pressure that is from about 60 PSI to 600 PSI and an operating flow rate that is from about 0.25 gal/min to 0.5 gal/min.

Attorney Docket No.: 7755

24. (New) An apparatus for cleaning a surface, the apparatus comprising a pump and an applicator connected to the pump through which one or more cleaning agents can be applied to the surface at an operating pressure that is from about 100 PSI to 600 PSI and an operating flow rate that is about 0.5 gal/min.
25. (New) An apparatus for cleaning a surface, the apparatus comprising a pump and an applicator connected to the pump through which one or more cleaning agents can be applied to the surface at an operating pressure that is about 100 PSI or less and an operating flow rate that is about 0.5 gal/min or less.